

Puzzi 200

Professional spray-extraction cleaner for commercial and household applications. Standard equipped with socket for PW 10 and a defoaming device.

- Spray hose with integrated water feed 2.5 m
- Metal floor tool with bend and aluminium suction tube
- Power outlet for power brush PW 30/1
- Defoamer metering
- Power cable 7.5 m
- Compartment for detergent tablets

Order number: 1.193-101.0



Max. area performance (m ² /h)	45
Air flow rate (l/s)	54
Vacuum (mbar/kPa)	220/22
Spray rate l/min	2
Spray pressure/back pressure (bar)	2/2.5
Fresh/dirty water tank (l)	10/9
Turbine power rating (W)	1250
Power rating pump (W)	80
Brush motor power rating (W)	-
Weight (kg)	12.1
Measures (L x W x H) (mm)	665x320x435
Voltage V	230
Frequency (Hz)	50-60

Bodendüsen

Floor tool, metal

Two-part, quick-action plastic coupling, aluminium tube, metal nozzle.

Order number 4.130-394.0



Floor nozzle

Two-part, plastic coupling with aluminium tube.

Order number 4.130-127.0



Handdüsen

Hand nozzle

Order number 4.130-116.0



Hand tool

For cleaning vertical blinds, with plastic coupling.

Order number 4.130-083.0



Window cleaning kit

Order number 2.638-778.0



Stair tool ID 32, 230mm

Order number 4.130-128.0



Hartflächenadapter

Hard-surface adapter, hand nozzle

For hand tool 4.130-116.0

Order number 4.762-219.0



Hard-surface adapter, floor tool

For floor tool 4.130-127.0 and 4.130-394.0

Order number 4.762-220.0



Rubber lip

Order number 6.959-116.0



Rubber lip

Order number 6.959-283.0



Sprüh-Saugschläuche

Spray suction hose

Spray extraction hose, ID 32, 2.5 m, complete with solid plastic coupling.

Order number 6.391-410.0



Spray extraction hose ID 32

Spray extraction hose, complete with robust quick-action plastic coupling, 4 m.

Order number 6.391-411.0



Steinteppichdüsen

Stone carpet, hard-surface tool

Two-part, quick connect plastic coupling, wet floor nozzle (metal) with spray nozzle.

Order number 4.130-117.0

