

Compact, line-operated single disc machine for scrubbing, shampooing, polishing and crystallizing for various surfaces of small cleaning areas, e.g. stairs and window-sills.

- Adjustable brush speed
- Wheels
- Mains operation
- Tank
- optional 3.5 l
- Tank
- optional (2) 5 l

**Order number: 1.737-105.0**



Working width mm	200
Brush working width (mm)	170
Vacuum working width (mm)	-
Working height (mm)	330
Fresh/dirty water tank	-
Container capacity	-
Brush speed (rpm)	470
Brush motor power rating (W)	150
Suction motor (W)	-
Sound pressure level (dB(A))	60
Voltage (V)	220-230
Frequency (Hz)	50-60
Weight (kg)	5
Measures (L x W x H) (mm)	360x180x330

## Diamond pads

**Diamond pad green set 5x** ◆160

**Order number 6.371-241.0**



**Diamond pad white set 5x** ◆160

**Order number 6.371-242.0**



**Diamond pad yellow set 5x** ◆160

**Order number 6.371-243.0**



## Disc Brushes for BD

**Disc brush, medium, 170 mm**

red, for all surfaces

**Order number 6.994-112.0**



**Disc brush, hard, 170 mm**

green, for deep cleaning

**Order number 6.994-113.0**



**Disc brush, soft, 170 mm**

natural, for polishing

**Order number 6.994-114.0**



**Disc brush, medium, 200 mm**

red, for all surfaces

**Order number 6.994-116.0**



**Disc brush, hard, 200 mm**

black, for deep cleaning

**Order number 6.994-117.0**



**Disc brush, soft, 200 mm**

natural, for polishing

**Order number 6.994-118.0**



## Disc Brushes for BD

**Shampooing brush, 170 mm**  
for carpets

Order number 6.994-115.0



**Angle brush, medium, 170 mm**

red, for better accessibility of angles, for all surfaces

Order number 6.994-127.0



**Angle brush, hard, 170 mm**

green, for better accessibility of angles, for deep cleaning

Order number 6.994-128.0



## Miscellaneous

**Splash protection**

Order number 6.994-129.0



**Fresh water tank, 3.5 l**

Order number 6.994-130.0



**Pump spray bottle 1 l**

Order number 6.394-409.0



**Fresh water tank, 5 l, with guiding bar**

Order number 6.994-131.0



**Extension cable**

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order number 6.647-022.0



## Pad drive board

**Pad drive boards 170 mm**

Order number 6.994-119.0



## Pads

**Pads 170 mm, silver**

Order number 6.994-125.0



**Pads 170 mm, white**

Order number 6.994-120.0



## Pads

**Pads 170 mm, beige**

**Order number 6.994-124.0**



**Pads 170 mm, red**

**Order number 6.994-122.0**



**Pads 170 mm, green**

**Order number 6.994-123.0**



**Pads 170 mm, black**

**Order number 6.994-121.0**



**Pads 170 mm, white**

**Order number 6.994-126.0**

