BD 55/60 W Ep



Walk-behind scrubber drier with a working width of 55 cm, a capacity of 60 I fresh and 60 I waste water tank for a wide range of applications.

- Disc brush
- Mains operation
- Tank-in-tank system

Order number: 1.384-252.0



Brush working width (mm)	550
Vacuum working width (mm)	850
Fresh/dirty water tank (I)	60/60
Max. area performance (m²/h)	2200
Brush speed rpm	240
Brush contact pressure (g/cm²)	35-40
Frequency Hz	50
Voltage V	230
Power rating (W)	1400
Weight (kg)	120
Measures (L x W x H) (mm)	1465x674x1162
Battery Voltage	-
Battery Capacity	-

Diamond pads

Diamond pad

For restauration as preparation for the purple pad.

Order number 6.371-183.0



Diamond pad

For cleaning and high-gloss polishing.

Order number 6.371-184.0



Disc Brushes for BD

Disc brush, medium

Medium, for all floors.

Order number 6.906-563.0



Disc brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order number 6.906-655.0



Disc brush, soft, 300 mm

Made of natural fibres, for spray cleaning and for polishing.

Order number 6.906-565.0



Disc brush, hard, 300 mm

Disc brush, hard, black, 300 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Tynex 180 grit, 1 mm thick, 41 mm long.

Order number 6.906-564.0



Microfibre pad

Microfibre pad, 306 mm

5 microfibre pads, white With centre hole, 306 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles.

Order number 6.369-958.0



Miscellaneous

Extension cable

Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.



Order number 6.647-022.0

Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.



Order number 2.641-811.0

Suction hose accessories

For taking in water from corners or containers (e.g. deep freezers). 3.25 m



Order number 4.444-015.0

Brake kit

parking brake

Order number 2.640-376.0



Additional weight kit

ensures that squeegee glides optimally

Order number 5.031-498.0



Filling hose

1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.

Order number 6.680-124.0



Pad drive board

Pad driver plate, 280 mm

Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock.

Order number 6.906-566.0



Pads

Pad, medium-soft, 306 mm

5 pads, medium-soft, red, 306 mm diameter. For cleaning all floors.



Order number 6.369-826.0

Pad, medium-hard, 306 mm

5 pads, medium-hard, green, 306 mm diameter. For removing stubborn dirt and basic cleaning.



Order number 6.369-827.0

Pads

Pad, hard, 306 mm

5 pads, hard, black, 306 mm diameter. For removing stubborn dirt and basic cleaning.



Order number 6.369-828.0

Räder/Reifen

Gymnasium kit, DIN 18032

Order number 4.744-162.0



Wheel, oil resistant

Order number 6.435-702.0



Spray extraction mounting kit

Spray suction kit

Facilitates the cleaning of spaces that are difficult to reach such as corners, edges, or between objects.

Order number 2.640-430.0



Squeegees for suction bars

Squeegee blade, oil-resistant, grooved, 890 mm

Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.

Order number 6.273-207.0



Squeegee blade, oil-resistant, grooved, 960 mm

Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.



Order number 6.273-208.0

Squeegee blade, oil-resistant, slotted, 960 mm.

Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.



Order number 6.273-205.0

Squeegee blade, natural rubber, 960 mm

Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.



Order number 6.273-214.0

Squeegees for suction bars

Squeegee blade, oil-resistant, slotted, 890 mm.

Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.

Order number 6.273-229.0



Sucking lip of natural rubber, 890 mm

Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.

Order number 6.273-213.0



Rubber lip set closed

Order number 6.273-291.0



Rubber lip set closed

Order number 6.273-290.0



Suction bar, complete

Straight vacuum bar

Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.

Order number 4.777-401.0



Squeegee, straight, 940 mm

Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.



Order number 4.777-402.0

Curved squeegee

Curved, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.

Order number 4.777-411.0



Suction bar, complete

Squeegee, curved, 940 mm

Curved squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.



