

Scrubber driers compact **BR 40/10 C Adv**



With the BR 40/10 we present the successor of the BR 400, the most economic machine in its class. This compact and powerful scrubber drier has a working width of 400 mm and a tank volume of 10 l. The Advance version is equipped with additional transport wheels and a brush contact pressure adjustment.

- Roller brush
- 2-tank system
- Mains operation
- Variable contact pressure
- Transport wheels
- 2 squeegees
- straight

Order number: 1.783-302.0



Brush working width (mm)	400
Vacuum working width (mm)	400
Power rating (W)	max. 2170
Battery Capacity	-
Battery Voltage	-
Fresh/dirty water tank (l)	10/10
Brush contact pressure (g/cm ²)	100-200
Brush speed rpm	1100
Max. area performance (m ² /h)	400
Frequency Hz	50
Voltage (V)	220-240
Weight (kg)	30
Measures (L x W x H) (mm)	520x470x380

Microfibre shaft

Microfibre roller

Micro fibre roller, length 400 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles.

Order number 4.114-004.0



Miscellaneous

Filling hose

1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.

Order number 6.680-124.0



Pump spray bottle 1 l

Order number 6.394-409.0



Extension cable

Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order number 6.647-022.0



Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

Order number 2.641-811.0



Roller brushes for BR

Roller brush, medium

Roller brush, medium-hard, red. Length: 400 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.4 mm thick, 20 mm long.

Order number 4.762-458.0



Roller brush, very soft

Roller brush, very soft, white. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.

Order number 4.762-250.0



Roller brush, carpet, soft

Carpet brush, soft, blue. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning textiles. Bristles: Polypropylene, 0.25 mm thick, 20 mm long.



Roller brushes for BR

Order number 4.762-254.0

Roller brush, soft

Very soft, made of horsehair, perfect for spray cleaning and for polishing.


Order number 4.762-274.0



Roller brush, carpet, medium-hard, 400 mm

light green, for velour (up to 3 mm pile height)

Order number 4.762-000.0



Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.

Order number 4.762-481.0



Roller brush, hard

Roller brush, hard, green. Length: 400 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.

Order number 4.762-252.0



Roller brush, high/low

Roller brush, high/low, medium-hard, orange. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.

Order number 4.762-251.0



Roller pad shaft

Roller pad shaft

Roller pad shaft, aluminium For roller pads or microfibre rollers, length 400 mm.

Order number 4.762-228.0



Roller pads

Roller pad on sleeve, soft

Order number 6.369-724.0



Roller pads

Roller pads on sleeve, hard

Order number 6.369-725.0



Roller pads on sleeve, medium


Order number 6.369-726.0



Squeegees for suction bars

Suction lip set 10x

Order number 6.273-302.0



Suction bar, complete

Squeegee, standard

Straight squeegee, 435 mm. Soft natural rubber squeegee blades.

Order number 4.777-323.0



Squeegee, oil-resistant

Straight squeegee, oil-resistant, 435 mm. Suitable for cleaning kitchens, workshops, restaurants, petrol filling stations and industrial use, etc.

Order number 4.777-322.0

