Wet and dry vacuum cleaners NT 45/1 Tact



The NT 45/1 Tact is a handy and strong wet/dry vacuum cleaner for commercial applications. It is equipped with the innovative and patented auto filter cleaning system TACT. The NT 45/1 Tact provides full accessory that can easily be retained in the integrated accessory storage.

- Suction hose 2.5 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 300 mm
- Crevice nozzle
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter Paper
- Bend
- Sturdy bumper
- Protection class II
- Castor with brake
- Tact filter cleaning system
- Maintenance-free suction turbines 1 piece



Order number: 1.145-800.0

Air flow rate (I/s)	61
Vacuum (mbar/kPa)	230/23
Container capacity (I)	45
Max. power rating (W)	1380
Standard nominal width (mm)	35
Cable length (m)	7.5
Sound pressure level (dB(A))	67
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	12.5
Measures (L x W x H) (mm)	520x380x695

Adapter (tube -> nozzle)

Adapter ID 35 - 40 (tube -> nozzle)

From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

Order number 6.902-084.0



Adapter for electric power tools, clip on, el. Power tool adapter C 35, electrically conductive Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.

Order number 5.453-048.0

Connecting sleeve for electric tool C 35, el. Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-049.0

Power tool adapter C 35, electrically conductive Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.

Order number 5.453-050.0

Connecting sleeve for electric tool C 35, el. Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.

Order number 5.453-051.0

Connecting sleeve for electric tools C 35, el. Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-052.0

Adapter for electric power tools, screwable

Power tool adapter, threaded, DN 35 3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order number 5.453-016.0

Power tool adapter, threaded, DN 35 Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.

Order number 5.453-026.0

Power tool adapter, threaded, DN 35 Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.

Order number 6.902-059.0













Adapter for electric power tools, screwable

Power tool adapter, threaded, DN 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm.External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.

Order number 6.902-095.0

All-purpose brushes

All-purpose brush

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order number 6.903-863.0

All-purpose nozzles (wet/dry)

Wet and dry floor tool

All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.

Order number 6.906-512.0

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.903-018.0

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With heightadjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

Order number 6.906-383.0

All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With heightadjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.906-384.0

All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-513.0

All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order number 6.906-554.0

Bend metal

Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order number 6.900-519.0

Bend, DN 40, metal

















Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order number 6.900-276.0

Bend stainless

Bend, stainless steel ID 35 Stainless steel and crooked, ID 35

Order number 6.903-141.0

Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0

Coarse filter for wet pickup

Coarse dirt filter for wet pick up

Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.

Order number 6.904-287.0

Combi-nozzles (dry)

Combination floor tool (dry)

Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.

Order number 6.906-511.0

Connecting sleeve C-DN (clip on taper), EL (electroconductive)

C-DN 35 adapter

C 35 hose connector for DN 35 accessory, electrically conductive.

Order number 5.407-112.0

C 40 adapter

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.

Order number 5.407-109.0

C-DN 40 adapter

C 40 hose connector for DN 40 accessory, electrically conductive.

Order number 5.407-111.0

Connecting sleeves

Adapter, ID 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order number 6.902-077.0

Adapter, ID 40 with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.

Order number 6.900-286.0

















Connecting sleeves	
Connecting sleeve, ID 61, with female thread For connecting 2 suction hoses, thread on both sides Order number 6.902-078.0	
Crevice nozzles	
Crevice tool Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm. Order number 6.900-385.0	
Crevice tool Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	
Order number 6.900-922.0	
Crevice tool Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	
Order number 6.903-033.0	
Crevice tool Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
Order number 6.905-817.0	
Crevice tool ID 35. Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm. Order number 6.906-240.0	
Extension hoses (Clip-system)	
Extension hose, C 32, C 35 clip system Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	6
Order number 6.906-237.0	
Extension hose C 32-, C 35-Clip-system, el. for all C-32 and C-35 hoses, electrically conductive.	
Order number 6.906-277.0	0
Flat pleated filter (paper)	
Flat pleated filter packed – dust class M Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	
Order number 6.904-367.0	
Flat pleated filter (PES)	
Flat pleated filter (PES) Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS. Order number 6.904-360.0	

HEPA filter for dust class H

HEPA surface filter

HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.

Order number 6.904-242.0

Inaktiv

Auto kit

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017)

Order number 2.637-443.0

Membrane filter / fabric filter

Membrane filter/fabric filter

Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.

Order number 6.904-212.0

Miscellaneous

Extension cable

Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order number 6.647-022.0

Nozzle sets

Nozzle kit

Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)

Order number 2.860-116.0



Paper filter (2 ply)

Paper filter bags NT 561 Eco - 611 Eco + models x5

5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply. Standard for NT 561/611 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.

Order number 6.904-208.0

Pipe dusting nozzles

Pipe dusting nozzle, ID 35 Plastic, pipe diameter 100 mm

Order number 6.903-035.0

Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order number 6.903-036.0

Plastic bend

Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).

Order number 5.031-718.0















Plastic bend
Plastic bend Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.
Order number 5.031-939.0
Plastic bend Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.
Order number 5.032-427.0
Plastic bend Plastic bend (DN 40) with C-40 clip system, suitable for all NT models. Order number 5.031-904.0
Plastic sacks for dust-free disposal
Plastic sacks for dust-free disposal PE plastic sack.
Order number 6.596-886.0
Reducer (tube -> nozzle)
Reducer Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.
Order number 6.902-017.0
Reducer from ID 35 to 32 Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.
Order number 6.902-072.0
Reducing sleeves
ReducerThreaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.Order number 5.407-108.0
Repair kits
Repair set, C 35 Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.
Order number 2.639-682.0
Rubber suction tools, nose 45°
Rubber suction tools, nose 45° 45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.
Order number 6.902-104.0
Rubber suction tools, nose 45° 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. Order number 6.902-105.0

Rubber tool

Rubber nozzle, ID 40 Rubber.

Order number 4.763-057.0

Set reducing / extension sleeves

Set of reducers/adapter sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic.

Order number 2.860-117.0

Special filter bags, wet filter bags

Special filter bag, wet filter bag

Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.

Order number 6.904-211.0

Suction brushes

Suction brush

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.

Order number 6.903-862.0

Suction hoses (Clip-system)

Suction hose

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-241.0

Suction hose

2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-275.0

Suction hose (clip system), C 35, el.

4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-500.0

Suction hose

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-321.0

Suction hose

With bayonet and clip connection.

Order number 6.906-714.0

Suction hose

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-546.0

Suction hose (clip system), C 40, 10 m, el. Suction hose with bayonet coupling, electrically conductive.













9

Suction hoses (Clip-system)

Order number 6.906-877.0

Suction hose (clip system), C 35

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order number 6.906-242.0

Suction hoses complete

Suction hose complete, ID 35, 2,5m

Temperature-resistant to 120 °C.

Order number 4.440-339.0

Suction hose, complete

Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

Order number 4.440-446.0

Suction hose, complete

Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

Order number 4.440-461.0

Suction hoses complete (Clip-system)

Suction hose

2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.

Order number 4.440-626.0

Suction hose

2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.

Order number 4.440-653.0

Suction tubes metal

Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

Order number 6.900-275.0

Suction tubes plastic

Suction tube, DN 35

Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.

Order number 6.900-384.0



















Suction tubes stainless steel	
Suction tube, DN 35	
Order number 6.902-154.0	
Suction tube, ID 40 Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	
Order number 6.902-081.0	
Suction tube	
Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	
Order number 6.906-531.0	
Target group specific vacuum cleaner accessory sets	
Universal kit for industrial and commercial use	
Accessory kit for industrial and commercial use.	
Order number 2.637-595.0	
Boiler cleaning kit	0
Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	
Order number 2.638-852.0	
Building trade kit	
Building and ancillary trade accessory kit.	
Order number 2.637-352.0	
Professional cleaning kit ID 40	
Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor	63/1
nozzle with rollers (6.903-051.0).	
Order number 2.637-353.0	
Horse set	
Target group-specific accessory kit for horse and pony breeders or owners	and then
Order number 2.637-248.0	
NT vacuum cleaner kit, DN 40, el.	
Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	6-14
Order number 2.638-147.0	-
Tools for vacuuming smaller areas, cleaning machines	

45° rubber suction nozzle Angled 45°, for suction of machines, oil-resistant

Order number 6.902-106.0

Turbo nozzle

Turbo nozzle

Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

Order number 2.860-113.0

Turbo nozzle, DN 32

Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve. **Order number 2.860-114.0**

UBS non-conductive media

ABS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases.

Order number 2.641-560.0

Y-adapter kit

Y-adapter kit Plastic distributor - suitable for NT vacuum cleaners.

Order number 2.637-217.0







