## Wet and dry vacuum cleaners NT 55/1 Tact



The NT 55/1 Tact is a handy and strong wet/dry vacuum cleaner for commercial applications. It is equipped with the innovative and patented fully automated filter cleaning system TACT. Serially the NT 55/1 Tact provides a robust handle and an oil-resistant drain hose. The NT 55/1 Tact is equipped with full accessory that can easily be retained in the integrated accessory storage.

- Suction hose 2.5 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 300 mm
- Crevice nozzle
- Drain hose (oil-resistant)
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter Paper
- Sturdy bumper
- Push handle
- Protection class II
- Castor with brake
- Tact filter cleaning system
- Maintenance-free suction
  turbines 1 piece

#### Order number: 1.146-800.0

Air flow rate (I/s)	61
Vacuum (mbar/kPa)	230/23
Container capacity (I)	55
Max. power rating (W)	1380
Standard nominal width (mm)	35
Cable length (m)	7.5
Sound pressure level (dB(A))	67
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	16
Measures (L x W x H) (mm)	520x380x870



#### Adapter (tube -> nozzle)

#### Adapter ID 35 - 40 (tube -> nozzle)

From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

Order number 6.902-084.0



3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.

#### Order number 5.453-042.0

### **Power tool adapter C 35, electrically conductive** Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.

Order number 5.453-048.0

**Connecting sleeve for electric tool C 35, el.** Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-049.0

#### Power tool adapter C 35, electrically conductive

Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.

#### Order number 5.453-050.0

**Connecting sleeve for electric tool C 35, el.** Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.

Order number 5.453-051.0

#### Connecting sleeve for electric tools C 35, el.

Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-052.0

#### Adapter for electric power tools, screwable

**Power tool adapter, threaded, DN 35** 3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order number 5.453-016.0

**Power tool adapter, threaded, DN 35** Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.

Order number 5.453-026.0















#### Adapter for electric power tools, screwable

#### Power tool adapter, threaded, DN 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.

#### Order number 6.902-059.0

#### Power tool adapter, threaded, DN 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm.External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.

## Order number 6.902-095.0

#### All-purpose brushes

#### All-purpose brush

Natural bristles (ox hair), bristle element 120 x 45 mm.

#### Order number 6.903-863.0

#### All-purpose nozzles (wet/dry)

#### Wet and dry floor tool

All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.

Order number 6.906-512.0

#### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

#### Order number 6.903-018.0

#### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With heightadjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

#### Order number 6.906-383.0

#### All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With heightadjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

#### Order number 6.906-384.0

#### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

#### Order number 6.906-513.0

#### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

#### Order number 6.906-554.0

















Bend metal	
<b>Bend, DN 35, metal</b> Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	
Order number 6.900-519.0	
<b>Bend, DN 40, metal</b> Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	
Order number 6.900-276.0	
Bend stainless	
Bend, stainless steel ID 35 Stainless steel and crooked, ID 35	
Order number 6.903-141.0	
Bend, stainless steel ID 40 Stainless steel and crooked, ID 40 Order number 6.902-079.0	
Coarse filter for wet pickup	
<b>Coarse dirt filter for wet pick up</b> Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	
Order number 6.904-287.0	
Combi-nozzles (dry)	
<b>Combination floor tool (dry)</b> Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	
Order number 6.906-511.0	
Connecting sleeve C-DN (clip on taper), EL (electroconductive)	
<b>C-DN 35 adapter</b> C 35 hose connector for DN 35 accessory, electrically conductive.	•
Order number 5.407-112.0	
<b>C 40 adapter</b> Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	
Order number 5.407-109.0	
<b>C-DN 40 adapter</b> C 40 hose connector for DN 40 accessory, electrically conductive.	1
Order number 5.407-111.0	
Connecting sleeves	
5	

Adapter, ID 32/35, with internal thread Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order number 6.902-077.0

Adapter, ID 40 with internal thread Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors. Order number 6.900-286.0	
<b>Connecting sleeve, ID 61, with female thread</b> For connecting 2 suction hoses, thread on both sides	
Order number 6.902-078.0	
Extension hoses (Clip-system)	
<b>Extension hose, C 32, C 35 clip system</b> Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	6
Order number 6.906-237.0	
<b>Extension hose, C 40</b> 2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	6
Order number 6.906-344.0	

Extension hose C 32-, C 35-Clip-system, el. for all C-32 and C-35 hoses, electrically conductive.

Order number 6.906-277.0

Connecting sleeves

#### Flat pleated filter (paper)

#### Flat pleated filter packed – dust class M

Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.

Order number 6.904-367.0

#### Flat pleated filter (PES)

#### Flat pleated filter (PES)

Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.

#### Order number 6.904-360.0

#### Gangway nozzles

#### Wide nozzle

Metal, height-adjustable, brush strips, rubber blades (only for NT 55/1 Eco/Tact & NT 611 Eco/Tact versions)

#### Order number 4.130-401.0

HEPA filter for dust class H

#### **HEPA** surface filter

HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.

Order number 6.904-242.0









#### Inaktiv

#### Auto kit

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017)

#### Order number 2.637-443.0

#### Membrane filter / fabric filter

#### Membrane filter/fabric filter

Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.

#### Order number 6.904-212.0

#### Miscellaneous

#### **Extension cable**

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

#### Order number 6.647-022.0

#### Nozzle sets

#### Nozzle kit

Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)

#### Order number 2.860-116.0

#### Paper filter (2 ply)

#### **Paper filter bags NT 561 Eco - 611 Eco + models x5** 5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply.

Standard for NT 561/611 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.

#### Order number 6.904-208.0

#### Plastic bend

#### Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).

#### Order number 5.031-718.0

#### **Plastic bend**

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.

#### Order number 5.031-939.0

Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.

#### Order number 5.032-427.0

#### **Plastic bend**

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

#### Order number 5.031-904.0













#### Plastic bend

#### PFC module C-35, electrically conductive

Order number 4.060-478.0

#### Plastic sacks for dust-free disposal

#### Plastic sacks for dust-free disposal

PE plastic sack.

Order number 6.596-886.0

Reducer (tube -> nozzle)

#### Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

#### Order number 6.902-017.0

#### Reducer from ID 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

#### Order number 6.902-072.0

Reducing sleeves

#### Reducer

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

#### Order number 5.407-108.0

#### Reducer

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.

#### Order number 5.407-113.0

#### **Repair kits**

#### Repair set, C 35

Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

#### Order number 2.639-682.0

#### Rubber suction tools, nose 45°

#### Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

#### Order number 6.902-104.0

#### Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

#### Order number 6.902-105.0

#### Rubber tool

#### Rubber nozzle, ID 40 Rubber.

Order number 4.763-057.0

















#### Set reducing / extension sleeves

Set of reducers/adapter sleeves DN 40/35, DN 35/32 (tube -> nozzle), plastic.

#### Order number 2.860-117.0

#### Special filter bags, wet filter bags

#### Special filter bag, wet filter bag

Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.

#### Order number 6.904-211.0

#### **Suction brushes**

#### **Suction brush**

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.

#### Order number 6.903-862.0

#### Suction hoses (Clip-system)

#### Suction hose

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-241.0

#### **Suction hose**

2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.

Order number 6.906-275.0

#### Suction hose (clip system), C 35, el.

4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.

#### Order number 6.906-500.0

#### **Suction hose**

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

#### Order number 6.906-321.0

#### **Suction hose**

With bayonet and clip connection.

#### Order number 6.906-714.0

#### Suction hose

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

#### Order number 6.906-546.0

#### Suction hose (clip system), C 40, 10 m, el.

Suction hose with bayonet coupling, electrically conductive.

#### Order number 6.906-877.0

#### Suction hose (clip system), C 35

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

#### Order number 6.906-242.0









6





9

#### Suction hoses complete

Suction hose complete, ID 35, 2,5m

Temperature-resistant to 120 °C.

#### Order number 4.440-339.0

#### Suction hose, complete

Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

#### Order number 4.440-446.0

#### Suction hose, complete

Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.

#### Order number 4.440-461.0

#### Suction hoses complete (Clip-system)

#### Suction hose

2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.

#### Order number 4.440-626.0

#### **Suction hose**

2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.

#### Order number 4.440-653.0

#### Suction tubes metal

#### Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

#### Order number 6.900-275.0

#### Suction tubes plastic

#### Suction tube, DN 35


Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.

Order number 6.900-384.0

Suction tubes stainless steel

#### Suction tube, DN 35

Order number 6.902-154.0













Order number 6.902-081.0

Suction tube		
Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.		
Order number 6.906-531.0		
Target group specific vacuum cleaner accessory sets		
Universal kit for industrial and commercial use Accessory kit for industrial and commercial use.	1	
Order number 2.637-595.0	1	
Boiler cleaning kit	0	
Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	. 19	
Order number 2.638-852.0		
Building trade kit	1	
Building and ancillary trade accessory kit.	1	
Order number 2.637-352.0		
Professional cleaning kit ID 40	2000 - 2010 - C	
Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).		
Order number 2.637-353.0		
<b>Horse set</b> Target group-specific accessory kit for horse and pony breeders or owners		
Order number 2.637-248.0	6.3	
NT vacuum cleaner kit, DN 40, el.		
Wet and dry vacuum cleaner kit, electrically conductive, DN 40. Order number 2.638-147.0	S /Y	
<b>Oven kit</b> Accessory kit for vacuuming and cleaning ovens in bakeries, cake shops, etc.	-	
Order number 2.640-341.0	0//7	
Tools for vacuuming smaller areas, cleaning machines		
<b>45º rubber suction nozzle</b> Angled 45°, for suction of machines, oil-resistant		

#### Turbo nozzle

#### **Turbo nozzle** Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

Order number 2.860-113.0

# **S**

#### Turbo nozzle, DN 32 Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve. Order number 2.860-114.0



#### **UBS non-conductive media**

#### ABS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases.

Order number 2.641-560.0

