NT 65/2 Eco Tc



The NT 65/2 Eco Tc is a powerful, twin-engined wet/dry vacuum cleaner for professional applications. The flat pleated filter is cleaned efficiently by an air pulse system for almost constant suction power at all times.

- Suction hose 4 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 360 mm
- Crevice nozzle
- Drain hose (oil-resistant)
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter PES
- Tilting chassis
- Power filter cleaning
- Sturdy bumper
- Push handle
- Protection class II
- Castor with brake
- Maintenance-free suction turbines 2 piece



Order number: 1.667-141.0

Air flow rate (I/s)	2 x 56
Vacuum (mbar/kPa)	235/23.5
Container capacity (I)	65
Max. power rating (W)	max. 2760
Standard nominal width (mm)	40
Cable length (m)	10
Sound pressure level (dB(A))	74
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	24
Measures (L x W x H) (mm)	690x520x1000

Adapter (tube -> nozzle)

Adapter

From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

Order number 5.453-019.0



Adapter for electric power tools, clip on, el.

Power tool adapter C 35, el.

3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.



Order number 5.453-042.0

Power tool adapter C 35, electrically conductive

Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.



Order number 5.453-048.0

Connecting sleeve for electric tool C 35, el.

Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-049.0



Power tool adapter C 35, electrically conductive

Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.



Order number 5.453-050.0

Connecting sleeve for electric tool C 35, el.

Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.

Order number 5.453-051.0



Connecting sleeve for electric tools C 35, el.

Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-052.0



Adapter for electric power tools, screwable

Power tool adapter, threaded, DN 35

3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.



Order number 5.453-016.0

Power tool adapter, threaded, DN 35

Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.

Order number 5.453-026.0



Adapter for electric power tools, screwable

Power tool adapter, threaded, DN 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.



Order number 6.902-059.0

Power tool adapter, threaded, DN 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm.External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.



Order number 6.902-095.0

All-purpose brushes

All-purpose brush

Natural bristles (ox hair), bristle element 120 x 45 mm.





All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.



Order number 6.906-554.0

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.



Order number 6.903-018.0

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.



Order number 6.906-383.0

All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.



Order number 6.906-384.0

All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.



Order number 6.906-513.0

Bend metal

Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).



Order number 6.900-519.0

Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).



Bend metal

Order number 6.900-276.0

Bend stainless

Bend, stainless steel ID 35

Stainless steel and crooked, ID 35

Order number 6.903-141.0



Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0



Car cleaning nozzles

Car vacuuming tool, DN 40

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.



Order number 6.900-952.0

Connecting sleeve C-DN (clip on taper), EL (electroconductive)

C-DN 35 adapter

C 35 hose connector for DN 35 accessory, electrically conductive.

Order number 5.407-112.0



C 40 adapter

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.



Order number 5.407-109.0

C-DN 40 adapter

C 40 hose connector for DN 40 accessory, electrically conductive.

Order number 5.407-111.0



Connecting sleeves

Adapter, ID 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.



Order number 6.902-077.0

Adapter, ID 40 with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.



Order number 6.900-286.0

Connecting sleeve, ID 61, with female thread

For connecting 2 suction hoses, thread on both sides

Order number 6.902-078.0



Crevice nozzles

Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.



Order number 6.903-033.0

Crevice nozzles

Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm



Order number 6.900-385.0

Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm



Order number 6.900-922.0

Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm



Order number 6.905-817.0

Crevice tools

Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm



Order number 6.900-222.0

Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm



Order number 6.900-926.0

Extension hoses (Clip-system)

Extension hose, C 40

2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.



Order number 6.906-344.0

Flat pleated filter (paper)

Flat pleated filter

Paper flat pleated filter (BIA-(U,S,G,C) dust class M) suitable for NT 65/2 Eco, NT 65/2 Eco Tc, NT 65/2 Eco Me.



Order number 6.904-283.0

Flat pleated filter (PES)

Flat filters (PES)

Flat filter (PES) - BIA-(U,S,G,C) dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 72/2 Eco Tc.



Order number 6.904-284.0

Floor nozzles

Floor nozzle cpl. 500 mm

Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)



Order number 4.130-413.0

Gangway nozzles

Wide nozzle

Wide metal nozzle, height adjustable with brush strip. Only suitable for Tc models.

Order number 4.130-400.0



HEPA filter for dust class H

HEPA surface filter

HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.



Order number 6.904-364.0

Membrane filter / fabric filter

Membrane filter / fabric filter

Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.



Order number 6.904-282.0

Miscellaneous

Extension cable

Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.



Order number 6.647-022.0

Other accessories for T and NT

Pre-separator

Complete container (80 litre) and lid (ID 61). For coarse dirt and fluids (without suction hose).



Order number 3.864-010.0

Lid for separator

For 6.902-051.0/4.070-111.0 and NT 802 I container



Order number 4.063-132.0

Drum separator

Metal, from DN 61 to 61, only for liquids.



Order number 3.864-012.0

Adapter ring for 200 I drum

Ring adapter for EURO steel drum (200 I) with lid but in connection with additional lid (separator) 4.063-132.0.



Order number 6.902-051.0

Paper filter (2 ply)

Paper filter bags

5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.



Order number 6.904-285.0

Pipe dusting nozzles

Pipe dusting nozzle, ID 35

Plastic, pipe diameter 100 mm

Order number 6.903-035.0



Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order number 6.903-036.0



Plastic bend

Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order number 5.031-904.0



Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).



Order number 5.031-718.0

Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.



Order number 5.031-939.0

Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.



Order number 5.032-427.0

Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal

PE plastic sack.

Order number 6.900-698.0



Radiator brushes

Radiator brush

Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.



Order number 6.903-034.0

Reducer (tube -> nozzle)

Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.



Order number 6.902-017.0

Reducer from ID 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.



Order number 6.902-072.0

Reducing sleeves

Reducer

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

Order number 5.407-108.0



Reducer

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.



Order number 5.407-113.0

Repair kits

Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order number 2.639-873.0



Repair kit, DN 61

Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.

Order number 2.862-038.0



Rubber suction tools, nose 45°

Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.



Order number 6.902-104.0

Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.



Order number 6.902-105.0

Rubber tool

Rubber nozzle, ID 40

Rubber.

Order number 4.763-057.0



Set reducing / extension sleeves

Set of reducers/adapter sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic.


Order number 2.860-117.0



Special filter bags, wet filter bags

Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant.





Suction brushes

Suction brush

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.



Order number 6.903-862.0

Suction hoses (Clip-system)

Suction hose (clip system), C 40, 10 m

10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.

Order number 6.906-279.0



Suction hose

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.



Order number 6.906-321.0

Suction hose

With bayonet and clip connection.

Order number 6.906-714.0



Suction hose

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.



Order number 6.906-546.0

Suction hose (Clip-system), C 40, 16 m

With bayonet and clip connection.



Order number 6.906-635.0

Suction hose (clip system), C 40, 10 m, el.

Suction hose with bayonet coupling, electrically conductive.



Order number 6.906-877.0

Suction hoses complete

Suction hose, complete

4-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.



Order number 4.440-264.0

Suction hose, complete

Industrial hose, PVC/elastomer with steel spiral, smooth inside



Order number 4.440-328.0

Suction hose, complete, ID 61, 10 m

10-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.



Order number 4.440-467.0

Suction hose, complete, DN 61, 4 m, oil-resistant

Oil-resistant.

Order number 4.440-613.0



Suction hoses complete

Suction hose, complete, DN 61, 10 m, oil-resistant Oil-resistant.

Order number 4.440-614.0



Suction hose complete, ID 61, 4 m, el.

Electrically conductive.

Order number 4.440-616.0



Suction hoses complete (Clip-system)

Suction hose, complete (clip system), C ID 40, 4 m

4 m electrically non-conductive suction hose with bend (C-DN 40) and module (4.060-474.0), bayonet at vacuum end and C 35 clip connection at accessory end.



Order number 4.440-679.0

Suction hose

4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.



Order number 4.440-678.0

Suction hose, complete (clip system), C DN-40, + PFC module, electrically conductive

With bend and module (4.060-533.0), electrically conductive.

Order number 4.440-728.0



Suction tubes metal

Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.



Order number 6.900-275.0

Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

Order number 6.900-514.0



Suction tubes stainless steel

Suction tube, ID 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order number 6.902-081.0



Suction tube

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.



Order number 6.906-531.0

Target group specific vacuum cleaner accessory sets

Bus kit

Accessory kit for vacuuming and cleaning buses, train compartments, etc., in combination with the recommended NT vacuum cleaner.



Order number 2.640-560.0

Tools for vacuuming smaller areas, cleaning machines

45° rubber suction nozzle

Angled 45°, for suction of machines, oil-resistant

Order number 6.902-106.0



Tools for vacuuming surfaces / cleaning machines

Aluminium surface nozzle

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper



Order number 4.130-415.0

Metal scratcher and scraper nozzle

Scratcher and scraper tool DN 61, sheet metal, 117 mm

Order number 6.903-360.0



UBS non-conductive media

UBS non-conductive media

For switching off when vacuuming non-conductive fluids.

Order number 2.640-426.0



Y-adapter kit

Y-adapter kit

Plastic distributor - suitable for NT vacuum cleaners.

Order number 2.637-217.0

