

## NT 70/2

Powerful wet/dry vacuum cleaner with 70 l container capacity and up to three motors.

- Suction hose 4 m
- Metal suction tube
- 2 x 0.5 m
- Wet and dry floor tool 360 mm
- Crevice nozzle
- Cartridge filter
- Drain hose
- Bend
- Cartridge filter Paper
- Sturdy bumper
- Push handle
- Protection class II



**Order number: 1.667-204.0**

Air flow rate (l/s)	2 x 56
Vacuum (mbar/kPa)	208/20.8
Container capacity (l)	70
Max. power rating (W)	2400
Standard nominal width (mm)	40
Cable length (m)	10
Sound pressure level (dB(A))	75
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	24.9
Measures (L x W x H) (mm)	720x510x975

## Adapter (tube -> nozzle)

### Adapter

From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

**Order number 5.453-019.0**



## All-purpose brushes

### All-purpose brush

Natural bristles (ox hair), bristle element 120 x 45 mm.

**Order number 6.903-863.0**



## All-purpose nozzles (wet/dry)

### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

**Order number 6.906-554.0**



### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

**Order number 6.903-018.0**



### All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

**Order number 6.906-383.0**



### All-purpose nozzle (wet and dry), DN 35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

**Order number 6.906-384.0**



### All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

**Order number 6.906-513.0**



## Bend metal

### Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

**Order number 6.900-519.0**



### Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

**Order number 6.900-276.0**



## Bend stainless

### Bend, stainless steel ID 35

Stainless steel and crooked, ID 35

Order number 6.903-141.0



### Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0



## Car cleaning nozzles

### Car vacuuming tool, DN 40

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order number 6.900-952.0



## Cartridge filter paper

### Cartridge filter, paper

Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.

Order number 6.907-038.0



## Connecting sleeve C-DN (clip on taper), EL (electroconductive)

### C-DN 35 adapter

C 35 hose connector for DN 35 accessory, electrically conductive.

Order number 5.407-112.0



## Connecting sleeves

### Adapter, ID 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order number 6.902-077.0



### Adapter, ID 40 with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.

Order number 6.900-286.0



### Connecting sleeve, ID 61, with female thread

For connecting 2 suction hoses, thread on both sides

Order number 6.902-078.0



## Crevice nozzles

### Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order number 6.903-033.0



### Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

Order number 6.900-385.0



## Crevice nozzles

### Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.

Order number 6.900-922.0



### Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

Order number 6.905-817.0



## Extension hoses (Clip-system)

### Extension hose, C 40

2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.

Order number 6.906-344.0



## Gangway nozzles

### Gangway nozzle

Vacuuming larger Areas in connection with NT 70/1; NT 70/2 or NT 70/3 versions only.

Order number 4.130-432.0



## Membrane filter / fabric filter

### Membrane filter / fabric filter

Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.

Order number 6.904-282.0



## Miscellaneous

### Extension cable

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order number 6.647-022.0



## Other accessories for T and NT

### Pre-separator

Complete container (80 litre) and lid (ID 61). For coarse dirt and fluids (without suction hose).

Order number 3.864-010.0



### Lid for separator

For 6.902-051.0/4.070-111.0 and NT 802 I container

Order number 4.063-132.0



### Drum separator

Metal, from DN 61 to 61, only for liquids.

Order number 3.864-012.0



### Adapter ring for 200 l drum

Ring adapter for EURO steel drum (200 l) with lid but in connection with additional lid (separator) 4.063-132.0.

Order number 6.902-051.0



## Paper filter (2 ply)

### Paper filter bags

5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.



**Order number 6.904-285.0**

## Pipe dusting nozzles

### Pipe dusting nozzle, ID 35

Plastic, pipe diameter 100 mm



**Order number 6.903-035.0**

### Pipe dusting nozzle

Plastic, pipe diameter 200 mm



**Order number 6.903-036.0**

## Plastic bend

### Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).



**Order number 5.031-718.0**

### Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.



**Order number 5.031-939.0**

### Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.



**Order number 5.032-427.0**

## Plastic sacks for dust-free disposal

### Plastic sacks for dust-free disposal

PE plastic sack.

**Order number 6.900-698.0**



## Radiator brushes

### Radiator brush

Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.

**Order number 6.903-034.0**



## Reducer (tube -> nozzle)

### Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

**Order number 6.902-017.0**



### Reducer from ID 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

**Order number 6.902-072.0**



## Reducing sleeves

### Reducer

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

**Order number 5.407-108.0**



### Reducer

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.

**Order number 5.407-113.0**



## Repair kits

### Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

**Order number 2.639-873.0**



### Repair kit, DN 61

Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.

**Order number 2.862-038.0**



## Rubber suction tools, nose 45°

### Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

**Order number 6.902-104.0**



### Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

**Order number 6.902-105.0**




## Rubber tool

### Rubber nozzle, ID 40

Rubber.

**Order number 4.763-057.0**



## Special filter bags, wet filter bags

### Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant.

**Order number 6.904-252.0**



## Suction brushes

### Suction brush

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.

**Order number 6.903-862.0**



## Suction brushes

### Suction brush

Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.



**Order number 6.903-887.0**

## Suction hoses (Clip-system)

### Suction hose (clip system), C 40, 10 m

10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.



**Order number 6.906-279.0**

### Suction hose

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.



**Order number 6.906-321.0**

### Suction hose

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.



**Order number 6.906-546.0**

### Suction hose (Clip-system), C 40, 16 m

With bayonet and clip connection.



**Order number 6.906-635.0**

### Suction hose (clip system), C 40, 10 m, el.

Suction hose with bayonet coupling, electrically conductive.



**Order number 6.906-877.0**

## Suction hoses complete

### Suction hose, complete

4-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.



**Order number 4.440-264.0**

### Suction hose, complete

Industrial hose, PVC/elastomer with steel spiral, smooth inside



**Order number 4.440-328.0**

### Suction hose, complete, ID 61, 10 m

10-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.



**Order number 4.440-467.0**

### Suction hose, complete, DN 61, 4 m, oil-resistant

Oil-resistant.



**Order number 4.440-613.0**

## Suction hoses complete

### Suction hose, complete, DN 61, 10 m, oil-resistant

Oil-resistant.

Order number 4.440-614.0



### Suction hose complete, ID 61, 4 m, el.

Electrically conductive.

Order number 4.440-616.0



### Suction hose, complete

Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.

Order number 4.440-263.0



### Suction hose, complete

Oil-resistant

Order number 4.440-303.0



### Suction hose, complete

Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.


Order number 4.440-463.0



### Suction hose complete

Electrically conductive, 10.0m, ID 40

Order number 4.440-466.0



### Suction hose, complete, DN 40, 10 m, oil-resistant

Oil-resistant.

Order number 4.440-612.0



## Suction hoses complete (Clip-system)

### Suction hose

4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.

Order number 4.440-678.0



### Suction hose

16 m suction hose (C-DN 40) with bayonet and straight adapter.

Order number 4.440-784.0



## Suction tubes metal

### Suction tube





## Suction tubes metal

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

**Order number 6.900-275.0**

## Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

**Order number 6.900-514.0**



## Suction tubes stainless steel

### Suction tube, ID 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

**Order number 6.902-081.0**



### Suction tube

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

**Order number 6.906-531.0**



### Suction tube, DN 35

**Order number 6.902-154.0**



## Target group specific vacuum cleaner accessory sets

### Professional cleaning kit ID 40

Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).

**Order number 2.637-353.0**



### Car cleaning kit

Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.

**Order number 2.862-166.0**



### Chip cleaning kit

Target group-specific robust connection set in DN 61 for cleaning in conjunction with oil-resistant suction hose and rubber nozzle.

**Order number 2.640-760.0**



## Tools for vacuuming smaller areas, cleaning machines

### 45° rubber suction nozzle

Angled 45°, for suction of machines, oil-resistant

**Order number 6.902-106.0**



## Tools for vacuuming surfaces / cleaning machines

### Aluminium surface nozzle

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper



Order number 4.130-415.0

---

### Metal scratcher and scraper nozzle

Scratcher and scraper tool DN 61, sheet metal, 117 mm



Order number 6.903-360.0

---

## Y-adapter kit

### Y-adapter kit

Plastic distributor - suitable for NT vacuum cleaners.



Order number 2.637-217.0

---