

Model: C2000 D5
 Frequency: 50
 Fuel Type: Diesel

» Generator set data sheet

2063 kVA Standby



Our energy working for you.™

Fuel consumption	Standby				Prime			
	kW (kVA)				kW (kVA)			
Ratings	1650 (2063)				1500 (1875)			
Load	1/4	1/2	3/4	Full	1/4	1/2	3/4	Full
US gph	31.4	53.6	77.1	107.8	30.1	51.8	72.9	98.0
L/hr	119	203	292	408	114	196	276	371

Engine	Standby rating	Prime rating
Engine manufacturer	Cummins	
Engine model	QSK60G3	
Configuration	4-Cycle; 60° Vee; 16-Cylinder Diesel	
Aspiration	Turbo Charged and Low Temperature Aftercooled	
Gross engine power output, kWm	1790	1615
BMEP at set rated load, kPa	2379	2144
Bore, mm	159	
Stroke, mm	190	
Rated speed, rpm	1500	
Piston speed, m/s	9.5	
Compression ratio	14.5:1	
Lube oil capacity, L	261	
Overspeed limit, rpm	1800 ±50	
Regenerative power, kWm	146	
Governor type	Electronic	
Starting voltage	24 Volts DC	

Fuel flow	
Maximum fuel flow, L/hr	1515
Maximum fuel inlet restriction, mm Hg	203
Maximum fuel inlet temperature (°C)	60

Air	
Combustion air, m ³ /min	135.8 130.4
Maximum air cleaner restriction, mm H ₂ O	635

Exhaust	Standby rating	Prime rating
Exhaust gas flow at set rated load, m ³ /min	315.8	297
Exhaust gas temperature, °C	450	430
Maximum exhaust back pressure, mmHg	51	

Standard set-mounted radiator cooling

Ambient design, °C	40	
Fan load, KW _m	33	
Coolant capacity (with radiator), L	410	
Cooling system air flow, m ³ /min @ 12.7mmH ₂ O	1560	
Total heat rejection, BTU/min	50415	45530
Maximum cooling air flow static restriction mmH ₂ O	12.7	

Weights*

	Open	Enclosed
Unit dry weight kgs	15245	N.A.
Unit wet weight kgs	16000	N.A.


* Weights represent a set with standard features. See outline drawing for weights of other configurations

Dimensions


	Length "A"	Width "B"	Height "C"
Standard open set dimensions, mm	5828	2270	2550
Enclosed set standard dimensions, mm	40' container	-	-

Genset outline

Open set



Enclosed set



Outlines are for illustrative purposes only. Please refer to the genset outline drawing for an exact representation of this model.

Our energy working for you.™

www.cumminspower.com

©2007 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. APSB-1154-07 (9/07)



Alternator data

Feature code	Connection ¹	Temp rise	Duty ²	Alternator	Voltage
-	Wye, 3 Phase	125/105	S/P	P7F	380-415V

Ratings definitions

Standby:	Limited Time Running:	Prime (unlimited running time):	Base Load (Continuous):
Applicable for supplying power to varying electrical load for the duration of power interruption of a reliable utility source. Emergency Standby Power (ESP) is in accordance with ISO 8528. Fuel Stop power in accordance with ISO 3046, AS 2789, DIN 6271 and BS 5514.	Applicable for supplying power to a constant electrical load for limited hours. Limited Time Running Power is in accordance with ISO 8528.	Applicable for supplying power to varying electrical load for unlimited hours. Prime Power is in accordance with ISO 8528. Ten percent overload capability is available in accordance with ISO 3046, AS 2789, DIN 6271 and BS 5514.	Applicable for supplying power continuously to a constant electrical load for unlimited hours. Continuous power in accordance with ISO 8528, ISO 3046, AS 2789, DIN 6271 and BS 5514.

Notes:

- Limited single phase capability is available from some three phase rated configurations. To obtain single phase rating, multiply the three phase kW rating by the single phase factor. All single phase ratings are at unity power factor.
- Standby (S) and Prime (P) ratings.

Formulas for calculating full load currents:

Three phase output

Single phase output

$$\frac{\text{kW} \times 1000}{\text{Voltage} \times 1.732 \times 0.8}$$

$$\frac{\text{kW} \times 1000}{\text{Voltage}}$$

See your distributor for more information.

Cummins Power Generation

Asia Pacific

10 Toh Guan Road #07-01

TT International Tradepark

Tel: (65) 6417 2388

Fax: (65) 6417 2399

E-Mail: cpg.apmktg@cummins.com

Our energy working for you.™

www.cumminspower.com

©2007 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. AP5B-1154-07 (9/07)

